

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/814,679	03/31/2004	Roy L. Hood	713629.167	713629.167 8311	
27128 75	90 06/15/2006	EXAMINER			
BLACKWEL	L SANDERS PEPER MA	GOFMAN	GOFMAN, ANNA		
720 OLIVE ST	REET				
SUITE 2400		ART UNIT	PAPER NUMBER		
ST. LOUIS, M	O 63101	1771			
			DATE MAILED: 06/15/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

				(<u> </u>
•		Application	No.	Applicant(s)	
	055 4-4' 0	10/814,679		HOOD ET AL.	
•	Office Action Summary	Examiner		Art Unit	
		Jeremy R. P		1771	
<i>Tf</i> Period for Re	ne MAILING DATE of this communication apeply	ppears on the c	over sheet with the o	correspondence a	ddress
WHICHE - Extensions after SIX ((- If NO perio - Failure to r Any reply r	TENED STATUTORY PERIOD FOR REPL VER IS LONGER, FROM THE MAILING It is of time may be available under the provisions of 37 CFR 1. 3) MONTHS from the mailing date of this communication. It for reply is specified above, the maximum statutory period reply within the set or extended period for reply will, by statureceived by the Office later than three months after the mailinent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS .136(a). In no event, d will apply and will e te, cause the applica	COMMUNICATION however, may a reply be tin xpire SIX (6) MONTHS from tion to become ABANDONE	N. nely filed the mailing date of this of the (35 U.S.C. § 133).	•
Status					
1)⊠ Res	sponsive to communication(s) filed on 14.	<u>April 2006</u> .			
2a)⊠ Thi	s action is FINAL . 2b)☐ Thi	is action is nor	-final.		
3) <u>□</u> Sin	ce this application is in condition for allow	ance except fo	r formal matters, pro	secution as to the	e merits is
clos	sed in accordance with the practice under	Ex parte Quay	de, 1935 C.D. 11, 4	53 O.G. 213.	
Disposition (of Claims				
4)⊠ Cla	im(s) <u>1-5 and 7-46</u> is/are pending in the a	pplication.			
	Of the above claim(s) <u>16-33</u> is/are withdra	-	deration.		
	im(s) is/are allowed.				
·	im(s) <u>1-5,7-15 and 34-46</u> is/are rejected.				
	im(s) is/are objected to.				
·	im(s) are subject to restriction and/	or election req	uirement.		
Application I	Papers				
9)∏ The	specification is objected to by the Examin	ier.			
•	drawing(s) filed on is/are: a) ac		objected to by the	Examiner.	
-	licant may not request that any objection to the	•	•		
	placement drawing sheet(s) including the correct		•	, ,	FR 1.121(d).
	oath or declaration is objected to by the E	· · · · · · · · · · · · · · · · · · ·	=	=	
	er 35 U.S.C. § 119				
	nowledgment is made of a claim for foreig	n priority unde	r 35 U.S.C. 8 119/a)-(d) or (f)	
a) □ A		priority unde		, (w) v . (י)·	
u,∟,∧ 1.Γ	· · · · · · · · · · · · · · · · · · ·	nts have been i	received		
	Certified copies of the priority document			on No.	
	Copies of the certified copies of the price				Stage
	application from the International Burea	•			290
* See t	he attached detailed Office action for a lis	•	, ,,	ed.	
Mach					
Attachment(s)	References Cited (PTO-892)	4.	. C lates dans Commerce	(DTO 442)	
	References Cited (PTO-892) Draftsperson's Patent Drawing Review (PTO-948)	4)	Interview Summary Paper No(s)/Mail Da		
i) 🔲 Information	n Disclosure Statement(s) (PTO-1449 or PTO/SB/08	•	Notice of Informal P		O-152)
	s)/Mail Date	6)	Other:		
. Patent and Tradema OL-326 (Rev. 7-		Action Summary	Pa	rt of Paper No./Mail D	ate 20060601

DETAILED ACTION

Response to Amendment

1. Applicant's amendment filed on April 14, 2006 has been entered. Claims 1, 13, 34, 35, and 45 have been amended. Claims 1-5 and 7-46 are currently pending with claims 16-33 withdrawn from consideration.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 3. Claims 1-5, 7-15, and 34-46 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Independent claims 1 and 34 both recite "an integrally molded one piece thermoplastic article." However, there is no support for an "integrally" molded article. The word "integral" does not even appear in the specification.
- 4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claims 1-5, 7-15, and 34-46 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Independent claims 1 and 34 both recite "an integrally molded one piece thermoplastic article." It is unclear what "integrally molded" is supposed to mean because Applicant does not provide a definition of what it is in the specification. The word "integral" does not appear in the specification.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 7. Claims 1, 3, 5, 7, 8, 10-12, 15, 34-40, and 42-44 are rejected under 35
- U.S.C. 102(e) as being anticipated by Sallee (U.S. Patent No. 5,976,643).

Sallee discloses a base sheet material with a plurality of garnishes projecting therefrom (Figure 1). The base material is constructed of a rigid plastic backing (column 4, lines 1-7) and the garnishes are also formed from plastic material (column 3, lines 58-67). The garnishes meet the claimed limitations for the projecting element portions

Application/Control Number: 10/814,679

Art Unit: 1771

because the polymer that forms the terminal part of the garnish is also present in the core of the base section, which is made from a different polymer (see Figures 5-7). The base section meets the limitations of the surface of the lower part of the projecting element. With regard to claims 3 and 11, the base sheet must contain at least one pigment that is different from one of the projecting elements since the base sheet is formed of multiple colors (column 4, line 1). With regard to claim 5, the retaining ring is preferably Derlin (column 6, line 21), which is a thermoplastic acetal. With regard to claim 7, various colors are used to create a camouflaged appearance (column 5, lines 20-21). With regard to claim 8, the garnish is made from polyethylene (column 3, line 60). With regard to claim 10, the base sheet has holes (Figure 1). With regard to claim 12, the base material is also camouflaged (column 4, line 1). With regard to claim 15, a plurality of projecting elements is present (Figure 1).

Page 4

With regard to claims 34 and 35, the garnishes would comprise at least a first plurality of projecting elements and a second plurality of projecting elements because each set may be colored differently to effect a camouflaged pattern (column 5, lines 11-21). With regard to claims 36, 37, 43, and 44, the base sheet must contain at least one pigment that is different from one of the projecting elements since the base sheet is formed of multiple colors (column 4, line 1). With regard to claims 38 and 40, Sallee discloses the garnishes are made from polyethylene (column 3, line 60).

8. Claims 1, 9, 10, and 15 are rejected under 35 U.S.C. 102(b) as being anticipated by Zuiddam et al. (U.S. Patent No. 4,866,808).

Zuiddam et al. disclose floor mat comprising a plurality of U-shaped plastic profiles (Abstract). The terminal parts that differ from the base section in Zuiddam et al. would be the bristles that come out of the center of the U-shaped projections (Figure 1). The bristles would comprise the claimed first polymer and the U-shaped projections would comprise the claimed second polymer. With regard to claim 9, a slip-resistant sheet is provided (column 4, lines 20-24). With regard to claim 10, there are open surfaces (Figure 2). With regard to claim 15, a plurality of projecting elements is present (Figure 1).

Page 5

9. Claims 1, 2, 5, 7, 10, 12, and 15 are rejected under 35 U.S.C. 102(b) as being anticipated by Matsui et al. (U.S. Patent No. 4,525,404).

Matsui et al. teach an artificial fur-like pile article comprising thermoplastic sheath/core fibers (Abstract). Matsui et al. disclose making a fabric by pile weaving, pile knitting, or silver knitting (column 6, lines 9-19), thus creating a generally planar base portion. The piles created from the knitting create projecting element portions emanating from the fabric. These piles meet the claim limitations of having a core and terminal part formed from one polymer and a surface formed of a different polymer (Figure 4). With regard to claim 2, Matsui et al. disclose differentially dyeing the fabric so that the terminal part has light pigment and the lower portion of the projection has a dark pigment (column 12, lines 12-42). With regard to claim 5, Matsui et al. disclose using polyamide, polyester, or polyvinyl (column 6, lines 20-28). With regard to claim 7, dye is used in the product (column 6, line 45). With regard to claim 10, knitted fabrics possess open spaces. The recitation that the open spaces are to facilitate cleaning is

merely an intended use of the product. With regard to claim 12, the fabric base is also dyed in the dyeing process (column 12, lines 12-42). With regard to claim 15, a plurality of projecting elements would be present since the material is used as an artificial fur.

10. Claims 1, 5, 7, 10, and 14 are rejected under 35 U.S.C. 102(b) as being anticipated by Fukuda et al. (U.S. Patent No. 5,466,505).

Fukuda et al. disclose a napped fabric wherein the naps comprise tapered sheath/core fibers (Abstract). The fabric would comprise Applicant's claimed base section and the naps meet the limitations of the claimed projection elements (See Figures 2a-2e). With regard to claim 5, the polyester fibers (column 5, lines 11-15) used in Fukuda et al. are thermoplastic With regard to claim 7, the fabric and napped fibers are dyed (column 6, lines 37-46). With regard to claim 10, knit and woven fabrics disclosed by Fukuda et al. (column 7, lines 24-30) have open spaces. With regard to claim 14, Fukuda et al. disclose using metal oxides as a delusterant (column 5, lines 31-45).

11. Claims 34, 39, 41, 44, and 46 are rejected under 35 U.S.C. 102(e) as being anticipated by Valyi et al. (U.S. Patent No. 6,132,669).

Valyi et al. teach a molded product created by combining a film layer with molten plastic (Abstract). The molten plastic is applied to the film in a pattern and takes the shape of the mold cavity (column 2, lines 20-37). The film of Valyi et al. anticipates the claimed base portion and the pattern of molded plastic anticipates the claimed projecting element portions. Valyi et al. teach that two different polymers can be molded in different patterns to provide designed properties to the finished product

Application/Control Number: 10/814,679 Page 7

Art Unit: 1771

(column 4, lines 40-61). With regard to claim 39, fillers may be used (column 8, lines 10-13). With regard to claim 41, additional film layers may be provided (column 9, lines 5-12) and these would provide some degree of slip-resistance. With regard to claim 44, the film base has a distinct color (column 5, lines 36-43). With regard to claim 46, a conductive polymer may be used (column 8, lines 14-17).

Claim Rejections - 35 USC § 103

- 12. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 13. Claims 2 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sallee.

With regard to claims 2 and 4, Sallee does not disclose what color the retaining collar, which comprises the claimed wall of the projecting element, might be. Sallee does disclose that the material is multi-colored though (column 5, lines 11-21). It would have been obvious to a person having ordinary skill in the art to use two distinct pigments for the retaining collar and the tufts, since the tufts form a camouflaged pattern and making retaining rings with the exact same color for each tuft would create an unnecessary and great expense because the retaining rings are not disclosed as contributing to the camouflaged pattern.

14. Claims 9 and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sallee in view of Nesbitt (U.S. Patent No. 5,549,938).

Sallee does not disclose the use of a slip resistant sheet. Nesbitt teaches that a camouflage material can be backed by a magnetic sheet, which allows the material to be securely fastened to a vehicle without slipping (Abstract). It would have been obvious to a person having ordinary skill in the art at the time of the invention to provide a slip resistant sheet to Sallee in order to allow the camouflage material to be fastened to a vehicle, as taught by Nesbitt.

15. Claims 13 and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sallee in view of Rawlinson (U.S. Patent No. 4,329,196).

Sallee does not disclose what density the polyethylene material should be.

Rawlinson teaches that grass-like material made from polyethylene should have a density between 0.90 and 0.93 (column 3, lines 8-10). It would have been obvious to a person having ordinary skill in the art at the time of the invention to use a polyethylene with a density between 0.915 and 0.92 in the garnish of Sallee, since such range is embraced by the art as being known and it has been held to been held that discovering the optimum value of a result effective variable involves only routine skill in the art. *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

16. Claims 14 and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sallee in view of Sesselmann (U.S. Patent No. 5,790,987).

Sallee teaches the material may be used on a person (Abstract), but does not disclose the use of filler. Sesselmann teaches that alumina may be added to

camouflage material to help reduce odor (column 2, lines 5-27). It would have been obvious to a person having ordinary skill in the art at the time of the invention to include alumina in the material of Sallee in order to reduce odor, as taught by Sesselmann.

17. Claims 35-37 and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Valyi et al.

Valyi et al. discuss the coloring of the film base material (column 5, lines 38-43), but do not teach how the coloring of the film base should differ from the color of the projecting elements. However, Valyi et al. do disclose that when two polymers of different characteristics are used, the ultimate effect is to provide design properties (column 4, lines 54-61). Design patterns are easily created using different colors. It would have been obvious to a person having ordinary skill in the art at the time of the invention to use different pigments or dyes in the first and second polymers used to create the projecting elements in Valyi et al. in order to easily provide the desired design properties to the final product, as desired by Valyi et al. Such a modification only involves a mere change in color. Similar reasoning also makes it obvious to use a different color in the base film.

18. Claims 38, 40, and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Valyi et al. in view of Allan et al. (U.S. Patent No. 5,851,474).

With regard to claims 38 and 40, Valyi et al. teach that any thermoplastic material may be used for the molten material (column 5, lines 32-36), but fail to provide any specifics. Allan et al. teaches a molding process also using molten thermoplastic material (Abstract). Allan et al. disclose various polymers that may be used, including

polyethylene, nylon, and polystyrene (column 4, lines 20-67). It would have been obvious to a person having ordinary skill in the art at the time of the invention to use polyethylene, nylon, polystyrene, or any one of the other listed polymers in Allan et al. in the product of Valyi et al., since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use. *In re Leshin*, 125 USPQ 416. With regard to claim 45, Allan et al. teach that low density and high density polyethylene are useful as molten thermoplastic materials in molding (column 4, lines 33-35). It would have been obvious to a person having ordinary skill in the art at the time of the invention to use polyethylene with a density in the range of 0.915 to 0.92 since such a low density polyethylene is known to be useful in molding polymers as taught by Allan et al., and selection of a known material on the basis of its suitability for the intended use is obvious as set forth above.

Response to Arguments

- 19. Applicant's arguments filed April 14, 2006 have been fully considered but they are not persuasive.
- 20. Applicant argues that Sallee requires separate components that are physically attached to together and not molded integrally. However, Applicant's allegation is not accompanied with any precise argument as to why the prior art does not meet the aspects of the claimed invention. The scope of the argument is unclear particularly because there is no definition of what an "integrally molded" article is in the specification. While the material created by Sallee may create a product that comprises

separate parts, the final article is still a single piece of material and meets the claim limitations. Similar arguments are asserted against Zuiddam, Matsui, and Fukuda, and the Examiner maintains the same response with regards to those references.

21. Applicant argues that Valyi does not meet claim limitations for the base portion or the projecting elements. However, the reasons that the material of Valyi meets the claimed structures are set forth above in the rejection. The current claim limitations are worded in such a way that they are broader in scope than the structure being argued by Applicant.

Conclusion

22. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeremy R. Pierce whose telephone number is (571)

Application/Control Number: 10/814,679 Page 12

Art Unit: 1771

272-1479. The examiner can normally be reached on normal business hours, but works flextime hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris can be reached on (571) 272-1478. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jeremy R. Pierce June 1, 2006

> ELIZABETH M. COLE PRIMARY EXAMINER